



Prima Lam Super

Skaap Afronding / Sheep Finisher
V 30573

Voedingstof	Eenheid / Unit		Nutrient
Ru-Proteïn (Min)	160	g/kg	Crude Protein (Min)
Ureum (Maks)	5	g/kg	Urea (Max)
Proteïn vanaf NPN (Maks)	24,3	%	Protein from NPN (Max)
Vog (Maks)	120	g/kg	Moisture (Max)
Kalsium (Min/Maks)	7 – 10,5	g/kg	Calcium (Min/Max)
Fosfaat (Min)	3,5	g/kg	Phosphorus (Min)
Magnesium (Min)	2,5	g/kg	Magnesium (Min)
Kalium (Min)	5	g/kg	Potassium (min)
Swael (Min)	3,5	g/kg	Sulphur (Min)
Vet (min)	30	g/kg	Fat (min)
Vet (maks)	70	g/kg	Fat (max)
Vesel (min)	120	g/kg	Fibre (min)
Vesel (maks)	160	g/kg	Fibre (max)
Vitamiene A	10 000	IU/kg	Vitamin A
Vitamiene D	2000	IU/kg	Vitamin D
Vitamiene E	25	mg/kg	Vitamin E
Mangaan	80	mg/kg	Manganese
Koper	12	mg/kg	Copper
Kobalt	4	mg/kg	Cobalt
Yster	200	mg/kg	Iron
Jodium	2	mg/kg	Iodine
Sink	350	mg/kg	Zinc
Selenium	1	mg/kg	Selenium
Bevat groei bevorderaars en ionofore		Contains growth promoters and ionophores	
WAARSKUWINGS		WARNINGS	
Hierdie produk bevat medikamente en mag nie aan perde gevoer word nie. Lees die medikasie etiket vir meer besonderhede		This product contains medicaments and should not be fed to horses. Read the medication label for more information	
Hierdie produk bevat NPN bronne - lees die NPN waarskuwings voordat die produk gebruik word		This product contain NPN sources – read the NPN warnings before using the product	



PRODUK BESKRYWING	PRODUCT DESCRIPTION
Prima Lam Super is 'n volledige groei en afrondingsrantsoen vir lammers wat sodanig saamgestel is om maksimum groei en uitslag persentasie te behaal sonder die gebruik van beta-agoniste.	Prima Lam Super is a complete growing and finishing ration aiming at achieving maximum growth and dressing percentage on lambs, without the use of beta-agonists.
VOER INSTRUKSIES	FEEDING INSTRUCTIONS
Voer ad lib. na 'n aanpassingsperiode, terwyl vars water deurentyd voorsien word. Dit is ook raadsaam om klein hoeveelhede ruvoer beskikbaar te stel van tyd tot tyd slegs na aanpassing.	Feed ad lib. to animals as needed after a period of adaptation, with free access to fresh water. It is also advisable to supply smaller quantities of roughage periodically after adaptation.
Volg n aanpassingsprogram voordat diere voluit gevoer word – sien etiket	Follow an adaptation program before animals are fed – see enclosed label